SECTION 1: IDENTIFICATION

Product Name: ML72 WITH 14LBS POLYMER PER BATCH Product Code: 864 ML72 HP TRADE NAME: Mainstay ML-72 HP

MANUFACTURER:

Madewell Products Corporation 7561 Industrial Court Alpharetta GA 30004 Phone: (770) 475-8199 Emergency: PERS 1-800-633-8253

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Ratings:

Skin corrosion/irritation	1B	Destruction of dermal tissue: Exposure < 1 hour Observation < 14 days, visible necrosis in at least one animal
Serious eye damage/eye irritation	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Respiratory sensitization	1	Respiratory sensitizer
Skin sensitization	1	Skin sensitizer
Carcinogenicity	1A	Known Human Carcinogen Based on human evidence
Aspiration hazard	1	Aspiration Toxicity Category 1: Known (regarded)- human evidence - hydrocarbons with kinematic viscosity ? 20.5 mm2/s at 40° C.

GHS Hazards

H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H350	May cause cancer

GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P285	In case of inadequate ventilation wear respiratory protection
P310	Immediately call a POISON CENTER or doctor/physician
P321	Specific treatment (see instructions on this label)
P331	Do NOT induce vomiting
P363	Wash contaminated clothing before reuse
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P302+P352	IF ON SKIN: Wash with soap and water

P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention
P342+P311	Call a POISON CENTER or doctor/physician
P405	Store locked up
P501	Dispose of contents/container to

Signal Word: Danger



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS					
Chemical Name	CAS number	Weight Concentration %			
QUARTZ	14808-60-7	60.00% - 70.00%			
PORTLAND CEMENT	65997-15-1	30.00% - 40.00%			

SECTION 4: First Aid Measures

First-aid measures after inhalation:

If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after eye contact:

Immediately rinse with water for a prolonged period while holding the eyelids wide open. Seek meical attention if material is embedded in eye. If eye irritation persists, get medical advice and attention.

First-aid measures after skin contact:

Rinse immediately with plenty of water. Gently wash with plenty of soap and water. Obtain medical attention if irritation persists. First-aid measures after ingestion:

If swallowed, do not induce vomiting: seek medical advice immediately and show product container and label. **Most Important symptoms and effects both acute and delayed:**

Symptoms/injuries after inhalation:

May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.

Symptoms/Injuries after skin contact:

Prolonged contact with large amounts of dust may cause mechanical irritation. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Symptoms/injuries after eye contact: Redness, pain.

Sympotoms/injuries after ingestion: Abdominal pain.

Chronic symptoms: Respiratory difficulties. May cause cancer.

SECTION 5: Fire-Fighting Measures

Flash Point: N/A LEL: N/A

UEL: N/A

Extinguishing media: Use extinguishing media appropriate for surrounding fire.

Special hazards arising from the substance or mixture: Not Flammable

No particular fire or explosion hazard.

Advice for firefighters:

Fight the fire with normal precautions from a reaonable distance.

Use normal individual fire protective equipment.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Do not breath dust. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shovelling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up.

Wear suitable protective clothing, gloves and eye/face protection. Use recommened resiratory protection.

Environmental precautions: Prevent entry to sewers and public waters.

SECTION 7: Handling and Storage

Precautions for safe handling:

Do not breathe dust. Avoid creating or spreading dust.

Conditions for safe storage, includiong any incompatibilities:

Store tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep bulk and bagged product dry until used. Stack bagged material in a secure manner to prevent falling. Bagged material is heavy and poses risks such as sprains and strains to the back, arms, shoulders, and legs during lifting and mixing. Handle with care and use appropriate control measures.

SECTION 8: Exposure Controls/Personal Protection						
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits			
QUARTZ 14808-60-7	.1MG/M3	.025MG/M3 RESPIRABLE FRACTION	Not Established			
PORTLAND CEMENT 65997-15-1	Not Established	Not Established	Not Established			

Exposure controls: Ensure adequate ventilation, especially in confined areas. Avoid dust production.

Personal protective equipment:

Protective goggles. In insufficient ventilation, wear respiratory protection or self-contained breathing apparatus.

Hand protection: Impermeable protective gloves.

Eye protection: Protective goggles.

Skin and body protection: Handle in accordance with good industrial hygiene and safety practices. Wash your hands immediately after handling this product, and again before leaving the workplace. Wear suitable protective clothing and wash contaminated clothing before reuse.

Respiratory protection: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentration of dust are expected to exceed exposure limits.

SECTION 9: Physical and Chemical Properties

PHYSICAL STATE: SOLID **APPEARANCE: CRYSTALLINE POWDER COLOR: NATURAL ODOUR: ODOURLESS ODOUR THRESHOLD: NO DATA AVAILABLE pH:** 12-13 **RELATIVE EVAPORATION RATE: NO DATA AVAILABLE** MELTING POINT: 1710C FREEZING POINT: NO DATA AVAILABLE BOILING POINT: 2230C FLASH POINT: NO DATA AVAILABLE SELF IGNITION TEMPERATURE: NO DATA AVAILABLE **DECOMPOSITION TEMPERATURE: NO DATA AVAILABLE** FLAMMABILITY (SOLID, GAS): NO DATA AVAILABLE **vAPOUR PRESSURE: NO DATA AVAILABLE RELATIVE VAPOUR DENSITY AT 20C: NO DATA AVAILABLE RELATIVE DENSITY: NO DATA AVAILABLE** DENSITY: 2.65-3.0 (APPROXIMATE) SOLUBILITY: WATER/INSOLUBLE LOG POW: NO DATA AVAILABLE LOG KOW: NO DATA AVAILABLE VISCOSITY: NO DATA AVAILABLE EXPLOSIVE PROPERTIES: NONE KNOWN **OXIDISING PROPERTIES: NONE KNOWN EXPLOSIVE LIMITS: NO DATA AVAILABLE**

Boiling Point 2230 °C

SECTION 10: Stability and Reactivity

Reactivity: Hazardous reactions will not occur under normal conditions.

STABLE

Chemical stability: Stable under normal temperature and pressure. **Incompatible materials:** Avoid strong oxidizers.

Possibility of hazardous reactions: Hazardous polymerization will not occur. Conditions to avoid: None known. Hazardous decomposition products: Quartz (silica) will dissolve in hydroflouric acid producing a corrosive gas, silicon tetrafluoride.

Hazardous polymerization will not occur.

SECTION 11: Toxicological Information

Mixture Toxicity Component Toxicity

Effects of Overexposure

Information on toxicological effects Acute Oral Toxicity: Not classified Acute Dermal Toxicity: May cause skin irritation Acute Inhalation Toxicity: Not classified Serious Eye Damage/Irritation: May cause serious eye damage Carcinogenicity: May cause cancer (inhalation) Reproductive Toxicity: Not classified Specific Target Organ Toxicity - single exposure: May cause respiratory irritation Specific Target Organ Toxicity - repeated exposure: Causes damage to organs (lung/respiratory system) through prolonged or repeated exposre (inhalation) Aspiration Hazard: Not classified.

CAS Number 14808-60-7 Description QUARTZ <u>% Weight</u> 60% - 70% Carcinogen Rating QUARTZ:

SECTION 12: Ecological Information

Toxicity

Persistence and degradability: Not readily biodegradable Bioaccumulative potential: Not expected to bioaccumulate Mobility in soil: Not available Other adverse effects: No additional information available

Component Ecotoxicity

SECTION 13: Disposal Considerations

Waste treatment methods: Nonhazardous waste. Dispose of according to official regulations.

SECTION 14: Transport Information

Not regulated.

Agency Proper Shipping Name

UN Number Packing Grou Hazard Class

SECTION 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Title III Section 311/312 (40CFR370): Immediate (acute) health hazard, Delayed (chronic) health hazard SARA Title III Section 313 (40CFR372): This product may contain constituents listed under SARA (Title III) Section 313, but not in amounts requiring supplier notification under 40 CFR Part 372 Subpart C CERCLA Status (40CFR302):

RCRA Status (40CFR261):

OSHA/NTP/IARC Carcinogen Status: Prop 65 California contains chemicals known to the State of California to cause cancer

TSCA Inventory Status: Listed

Canadian DSL Status: Domestic substances list

Canadian WHMIS Status: Class D Division 2 Subdivision A. Toxic material causing other toxic effects

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

14808-60-7 QUARTZ 60 - 70% REPRODUCTIVE

WARNING: This product can expose you to QUARTZ, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Country

Regulation

All Components Listed

SECTION 16: Other Information

HMIS ratings: Health: 2*Moderate hazard Flammability:0 Physical: 0 Personal Protection: E

Hazardous Material Information System (HMIS)



Madewell Products Corporation Disclaimer

The information and recommendations contained herein are based upon data believed to be up to date and correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by purchase, resale, use or exposure to our product. Customers and users of this product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with applicable laws.

Reviewer Revision

Date Prepared: 3/27/2025